

APPENDIX I

MATRIX OF PHYLOGENETICALLY INFORMATIVE CHARACTERS IN *SPIZELLA*

Taxon	1111111122222233333344444 355677001346780356689233477901122 118136032655505532405847309184614
Dark-eyed Junco	GAGAGTATGAGCGTTGGGAAGGGGGCTGGCCTG
Chipping Sparrow	.GTGA.TGTGATACC..T.G.A...TC...T..
Black-chinned Sparrow	..T.AGTAAG.TA...C.G...AATCA.T.CA
Brewer's Sparrow	..TG.GTATGA....TT...A.A..CA.TT..
Field Sparrow	..TGAGTGT.....TTG...A.A.TCA...CA
American Tree Sparrow	AG....C.GAT.CCA...GA.A...AA.TC.
Clay-colored Sparrow	AGTG.GTGTG....ATTG.AAA.A.CAATT.A

A "dot" indicates that the base is the same as that found in the Dark-eyed Junco. Numbers refer to the positions 1-433 in the region 15374 to 14941 corresponding to the chicken sequence (Desjardins and Morais 1990).

APPENDIX II

MATRIX OF PHYLOGENETICALLY INFORMATIVE CHARACTERS IN *PIPILO*

Taxon	111111222333333 1122015668228447899 16928321060030390514
Green-tailed Towhee	?GAGCTGAATTGAAAGCAGA
Canyon Towhee	G..ATC...CA..G.TG.G
California Towhee (Baja)	A.G.TCAGGCC.GGGAT.AG
California Towhee (California)	A.GGTCAGGCCAGGGAT.AG
Abert's Towhee	A?GATCAGG..AG.GA...G
White-throated Towhee	GAG...GG.C..G..TG..

A "dot" indicates that the base is the same as that found in the Green-tailed Towhee. Numbers refer to the positions 1-433 in the region 15374 to 14941 corresponding to the chicken sequence (Desjardins and Morais 1990).

ERRATUM

In "The parasitic blow fly, *Protocalliphora spatulata*, in two new host species" by J.M. Fair and C.K. Miller (Wilson Bull. 107:179-181), all references to the scientific name *Protocalliphora hirundo* should be *P. hirudo*. Special thanks to Mia Revels for calling attention to this confusion between the similarity of the specific epithet *P. hirudo* and the specific epithet of a congener, *P. hirundo*.